

**Silver Screen Dental**  
**Steven L. Booth, DDS**  
**9901 N. Cap of TX Hwy, Ste 225**  
**Austin, TX 78759**

**Pre-operative Instructions and Information for Sedation Dentistry**

The following are known contraindications for triazolam sedation. You are required to tell us if any of these conditions apply to you.

*Please check any of the following* if you are currently taking or have any of the following items:

- \_\_\_\_\_ 1. CNS depressants such as, but not limited to, codeine, hydrocodone, Darvocet, Morphine, oxycodone
- \_\_\_\_\_ 2. Anti-depressants such as, but not limited to, Elavil (amitriptyline), Franil (Imipramine), Prozac, Celexa, Zoloft, Paxil, Wellbutrin
- \_\_\_\_\_ 3. MOA inhibitors such as, but not limited to, Parnet, Triavil, Nordil
- \_\_\_\_\_ 4. Drug abuse of narcotics and/or barbiturates
- \_\_\_\_\_ 5. Consumption of alcohol
- \_\_\_\_\_ 6. Pregnancy
- \_\_\_\_\_ 7. Breast-feeding
- \_\_\_\_\_ 8. Acute narrow angle glaucoma
- \_\_\_\_\_ 9. Anti-psychotic medications such as, but not limited to, Haldol, Clorazil, Loxitane, Prolixin
- \_\_\_\_\_ 10. Insomnia medications such as, but not limited to, Nytol (diphenhydramine) Dalmane, Atarax, Vistaril, Restoril, Prosom, Halcyon, Ambien
- \_\_\_\_\_ 11. Emphysema
- \_\_\_\_\_ 12. Erythromycin
- \_\_\_\_\_ 13. Oral antifungals such as mycostatin, fulvicin, mycelex
- \_\_\_\_\_ 14. Antacids
- \_\_\_\_\_ 15. Tagamet
- \_\_\_\_\_ 16. AIDS medication
- \_\_\_\_\_ 17. Cyclosporin or anti-rejection drugs
- \_\_\_\_\_ 18. Grapefruit juice
- \_\_\_\_\_ 19. St. John's Wort
- \_\_\_\_\_ 20. Allergy to benzodiazepines such as Valium, Ativan, Xanax, Serax
- \_\_\_\_\_ 21. Epilepsy or seizures treated with benzodiazepines

The following instructions are to be followed in order to make your sedation visit as safe as possible:

- 1) **No food 6 hours prior to you appointment** (except for medications that are taken on a daily basis). **Clear liquids are allowed up to 2 hours prior to appointment.**
- 2) No stimulants (caffeine or nicotine) for 12 hours before **and** after your appointment.
- 3) No chance of pregnancy
- 4) Must have a responsible person to drive you home from your appointment and stay with you until you recover
- 5) No driving for 24 hours
- 6) No operating hazardous devices
- 7) No heavy lifting

- 8) Do not attempt to climb stairs until completely recovered
- 9) Do not work or make important decisions for 24 hours
- 10) No contact lenses
- 11) Wear loose, comfortable clothing; do not wear a watch or jewelry.

Take your prescription one hour before your scheduled appointment or as otherwise directed.

I have read and understand the above information and instructions.

\_\_\_\_\_  
Patient

\_\_\_\_\_  
Date

\_\_\_\_\_  
Doctor

\_\_\_\_\_  
Witness